

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	95	(320/158).OCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 14:49
S2	4	((("6433517") or ("5714866")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 16:30
S3	23	(320/144).OCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 16:31
S4	132	(320/153).OCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 16:31
S8	924	((320/143,150,151,156,161) or (324/430/431)).OCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/09 10:47
S9	18	("20020140405" "4659977" "5157320" "5339018" "5430363" "5623197" "5710507" "5872453" "5978719" "6150793" "6202615" "6232748" "6252377" "6363315" "6481406" "6563288" "6630810" "6647939").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 09:20

S10	4	("5038728" "5347966" "5721688" "5898282").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:23
S11	8500	((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar\$4 or different\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:30
S12	6531	S11 and (storage or storing or memory or ROM or RAM)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:29
S13	4674	S12 and ((compar\$4 or different\$4) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:40
S14	1789	S13 and (micro\$1processor or CPU or (central \$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:33
S15	1217	S13 and cool\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:32
S16	1965	S13 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S17	802	S16 and (micro\$1processor or CPU or (central \$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S18	328	S17 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31
S19	5052	S12 and ((compar\$4 or different\$4 or difference) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:40
S20	2145	S19 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S21	854	S20 and (micro\$1processor or CPU or (central \$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S22	342	S21 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:42
S23	275	S22 and (apply\$3 or charge) and ((complet\$3 or finish\$3 or stop\$4 or end\$3 or terminat\$3) same charg\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:46

S24	159	S23 and cool\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:48
S25	1148	((320/143,150,151,156,161,158,144,153) or (324/430/431)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/09 10:48
S26	14	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:48
S27	2	("5049804").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/09 15:56
S28	4755	cool\$3 with (battery or accumulator) with (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:57
S29	3133	S28 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:58
S30	1894	S29 and (charg\$3 or voltage) and (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:58

S31	205	S30 and ("320"/\$.ccls. or "324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:59
S32	110	S31 and @py<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:03
S33	21	S32 and charger and (process\$3 or method or micro \$1processor) and (memory or ROM or RAM or storage \$medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:04
S34	1182	((320/143,150,151,156,161,158,144,153) or (324/430/431)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/09 20:29
S35	36	S34 and @pd>="20060101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/09 20:30
S36	9001	((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar \$4 or different\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31
S37	6948	S36 and (storage or storing or memory or ROM or RAM)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31
S38	5376	S37 and ((compar\$4 or different\$4 or difference) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31
S39	2286	S38 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31

S40	928	S39 and (micro\$1processor or CPU or (central \$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31
S41	373	S40 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31
S42	302	S41 and (apply\$3 or charge) and ((complet\$3 or finish\$3 or stop\$4 or end\$3 or terminat\$3) same charg\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:31
S43	29	S42 and @pd> = "20060101"	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:36
S44	5035	cool\$3 with (battery or accumulator) with (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/09 20:36
S45	3347	S44 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/09 20:36
S46	2035	S45 and (charg\$3 or voltage) and (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/09 20:36
S47	129	S46 and @pd> = "20060101"	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/09 20:36
S48	1116	((maintain\$3 with temperature) same battery) same charg\$3 and (charg\$3 with (control\$3 or regulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/10 22:13

S49	96	(320/158).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/10 22:13
S50	4	((("6433517") or ("5714866"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/10 22:13
S51	24	(320/144).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/10 22:13
S52	134	(320/153).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/10 22:13
S53	979	((320/143,150,151,156,161) or (324/430/431)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/10 22:13
S54	9414	((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar \$4 or different\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/10 22:13
S55	7275	S54 and (storage or storing or memory or ROM or RAM)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/10 22:13
S56	5215	S55 and ((compar\$4 or different\$4) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/10 22:13
S57	2061	S56 and ((micro\$1processor or CPU or (central \$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/10 22:13

S58	5285	cool\$3 with (battery or accumulator) with (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/10 22:13
S59	3539	S58 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/10 22:13
S60	2159	S59 and (charg\$3 or voltage) and (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/10 22:13
S61	240	S60 and ("320"/\$.ccls. or "324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/10 22:13
S62	247	S48 and (S49 or S50 or S51 or S52 or S53 or S57 or S61)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/10 22:26
S63	38	(battery AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3) same ((threshold or limit or certain or specific) with temperature))).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:32
S64	1	("4424476").PN. OR ("6707273").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:22

S65	5285	cool\$3 with (battery or accumulator) with (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/11 09:26
S66	3539	S65 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/11 09:26
S67	2159	S66 and (charg\$3 or voltage) and (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/11 09:26
S68	240	S67 and ("320"/\$.ccls. or "324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/11 09:26
S69	110	S68 and @py<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/11 09:26
S70	0	S69 and @pd>="20060705"	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:28
S71	1206	((320/143,150,151,156,161,158,144,153) or (324/430/431)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/11 09:28

S72	60	S71 and @pd>="20060101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/11 09:28
S73	25	S72 and @pd>="20060705"	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S74	9414	((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar\$4 or different\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S75	7275	S74 and (storage or storing or memory or ROM or RAM)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S76	5635	S75 and ((compar\$4 or different\$4 or difference) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S77	2402	S76 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S78	986	S77 and (micro\$1processor or CPU or (central \$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S79	394	S78 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S80	321	S79 and (apply\$3 or charge) and ((complet\$3 or finish\$3 or stop\$4 or end\$3 or terminat\$3) same charg\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S81	48	S80 and @pd>="20060101"	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:29
S82	20	S81 and @pd>="20060705"	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:31
S83	72	(battery AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same ((threshold or limit or certain or specific or value) with temperature))) .clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:34

S84	29	((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same ((threshold or limit or certain or specific or value) same temperature))).clm.	US-PGPUB	OR	ON	2006/12/11 09:36
S85	111	((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same temperature)).clm.	US-PGPUB	OR	ON	2006/12/11 09:37
S86	404	((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same temperature)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:37
S87	360	((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) with temperature)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 09:37
S88	2	("6016047").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/09 10:53
S89	33	("320"/\$.ccls. or "324"/\$.ccls.) and ((initial or start or begin) with (charg\$3 or appl\$4) with current with (high or large or 5A or 6A or 7A or 8A or 9A or 10A) same (warm or heat))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/23 16:54
S90	29	("5627451" "5642031" "5909101" "5912546" "5945803" "6008628" "6018231" "6075347" "6124698" "6133713" "6154007" "6154008" "6160389" "6172487" "6175211" "6191560" "6204640" "6204641" "6225786" "6229280" "6275009" "6278261" "RE37226").PN. OR ("6433517").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/23 17:09

S91	30	"3917990" "5363031" "5489836" "5493199" "5497068" "5519303" "5550453" "5563496" "5583871" "5652500" "5659239" "5668461" "5686808" "5717313" "5739973" "5767659" "5825159" "5886527" "5912547" "6011379" "6075347").PN. OR ("6204641").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/23 17:09
S92	24	("5352968" "5363031" "5691078" "5874825").PN. OR ("6124698").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/23 17:11

4/ 24/ 2008 6:35:52 PM

C:\Documents and Settings\apiggush\My Documents\EAST\Workspaces\10752977.wsp